

SEATING MOBILITY EVALUATION

This form must be completed by the licensed Physical Therapist or the OT performing the evaluation.
 The evaluator may choose to include additional information that substantiates medical necessity for the equipment requested.

Recipient Name: _____	Date Referred: _____	Date of Evaluation: _____
Address: _____	Phone: _____	Physician: _____
Funding: _____	Age: _____	Sex: _____
Referred By: _____	Date of Birth: _____	OT: _____
	Height: _____	PT: _____
	Weight: _____	
Medicaid ID # _____		

Reason for Referral: _____
Patient Goals: _____
Caregiver Goals: _____

MEDICAL HISTORY:

Dx: _____	ICD-9: _____	ICD-9: _____
	ICD-9: _____	ICD-9: _____
Date of injury/onset: _____		
Prognosis/ Hx: _____		
Recent / Planned Surgeries: _____		
Cardio-Respiratory Status: <input type="checkbox"/> Intact <input type="checkbox"/> Impaired	Comments: _____	

CURRENT SEATING / MOBILITY: (Type – Manufacturer – Model)

Chair: _____	Age: _____
Serial # _____	
w/c Cushion: _____	Age: _____
w/c Back: _____	Age: _____
Other Positioning Components: _____	
Reason for <input type="checkbox"/> Replacement / <input type="checkbox"/> Repair / <input type="checkbox"/> Update: _____	
Funding Source: _____	

HOME ENVIRONMENT:

<input type="checkbox"/> House <input type="checkbox"/> Apt <input type="checkbox"/> Asst Living <input type="checkbox"/> LTCF <input type="checkbox"/> Alone <input type="checkbox"/> w/ Family-Caregivers:	
Length of time at residence: _____	
Entrance: <input type="checkbox"/> Level <input type="checkbox"/> Ramp <input type="checkbox"/> Lift <input type="checkbox"/> Stairs	Entrance Width: _____
w/c Accessible Rooms: <input type="checkbox"/> Yes <input type="checkbox"/> No	Narrowest Doorway Required to Access: _____
Is a caregiver available 24 hours a day: <input type="checkbox"/> Yes <input type="checkbox"/> No	If no, how many hours a day is a caregiver available? _____

Comments:

TRANSPORTATION: Car Van Bus Adapted w/c Lift Ramp Ambulance Other:

COGNITIVE / VISUAL STATUS:

Memory Skills	<input type="checkbox"/> Intact:	<input type="checkbox"/> Impaired:	Comments:
Problem Solving	<input type="checkbox"/> Intact:	<input type="checkbox"/> Impaired:	Comments:
Judgment	<input type="checkbox"/> Intact:	<input type="checkbox"/> Impaired:	Comments:
Attn / Concentration	<input type="checkbox"/> Intact:	<input type="checkbox"/> Impaired:	Comments:
Vision	<input type="checkbox"/> Intact:	<input type="checkbox"/> Impaired:	Comments:
Hearing	<input type="checkbox"/> Intact:	<input type="checkbox"/> Impaired:	Comments:
Other	<input type="checkbox"/> Intact:	<input type="checkbox"/> Impaired:	Comments:

ADL STATUS: Indep Assist Unable Comments / Other AT Equipment Required

Dressing	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Bathing	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Feeding	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Grooming/Hygiene	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Toileting	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Meal Prep	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Home Management	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Bowel Management:	<input type="checkbox"/> Continent	<input type="checkbox"/> Incontinent		
Bladder Management:	<input type="checkbox"/> Continent	<input type="checkbox"/> Incontinent		

MOBILITY SKILLS: Indep Assist Unable N/A Comments

Bed ↔ w/c Transfers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
w/c ↔ Commode Transfers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Ambulation:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Device:
Manual w/c Propulsion:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Operate Power w/c w/ Std. Joystick	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Operate Power w/c w/ Alternative Controls	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Ability to Stand	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Able to Perform Weight Shifts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Type:
Hours Spent Sitting in w/c Each Day:	Comments:				

SENSATION:

<input type="checkbox"/> Intact <input type="checkbox"/> Impaired <input type="checkbox"/> Absent	Hx of Pressure Sores <input type="checkbox"/> Yes <input type="checkbox"/> No
Current Pressure Sores <input type="checkbox"/> Yes <input type="checkbox"/> No	Location/Stage
Comments:	

CLINICAL CRITERIA / ALGORITHM SUMMARY

Is there a mobility limitation causing an inability to safely participate in one or more Mobility Related Activities of Daily Living in a reasonable time frame? Explain:	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are there cognitive or sensory deficits (awareness / judgment / vision / etc) that limit the users' ability to safely participate in one or more MRADL's or ADL's?	<input type="checkbox"/> Yes <input type="checkbox"/> No
If yes, can they be accommodated / compensated for to allow use of a mobility assistive device to participate in MRADL's?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Explain:	
Does the user demonstrate the ability or potential ability and willingness to safely use the mobility assistive device?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Explain:	
Can the mobility deficit be sufficiently resolved with only the use of a cane or walker?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Explain:	
Does the user's environment support the use of a <input type="checkbox"/> MANUAL WHEELCHAIR <input type="checkbox"/> POV <input type="checkbox"/> POWER WHEELCHAIR:	<input type="checkbox"/> Yes <input type="checkbox"/> No
Explain:	
If a manual wheelchair is recommended, does the user have sufficient function/abilities to use the recommended equipment?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Explain:	

If a POV is recommended, does the user have sufficient stability and upper extremity function to operate it? Yes No N/A

Explain:




If a power wheelchair is recommended, does the user have sufficient function/abilities to use the recommended equipment? Yes No N/A







Explain:



RECOMMENDATION / GOALS:

MANUAL WHEELCHAIR POV POWER WHEELCHAIR: POSITIONING SYSTEM(TILT/RECLINE) SEATING

Mat Evaluation: (NOTE IF ASSESSED SITTING OR SUPINE)

	POSTURE:	FUNCTION:	COMMENTS:	SUPPORT NEEDED
HEAD & NECK	<input type="checkbox"/> Functional <input type="checkbox"/> Flexed <input type="checkbox"/> Extended <input type="checkbox"/> Rotated <input type="checkbox"/> Laterally Flexed <input type="checkbox"/> Cervical Hyperextension	<input type="checkbox"/> Good Head Control <input type="checkbox"/> Adequate Head Control <input type="checkbox"/> Limited Head Control <input type="checkbox"/> Absent Head Control <input type="checkbox"/> Tone/ Reflex		
U P P E R E X T R E M I T Y	SHOULDERS Left Right <input type="checkbox"/> WFL <input type="checkbox"/> WFL <input type="checkbox"/> elev / dep <input type="checkbox"/> elev / dep <input type="checkbox"/> pro / retract <input type="checkbox"/> pro / retract <input type="checkbox"/> subluxed <input type="checkbox"/> subluxed	R.O.M. Strength: Tone/Reflex:		
	ELBOWS Left Right <input type="checkbox"/> Impaired <input type="checkbox"/> Impaired <input type="checkbox"/> WFL <input type="checkbox"/> WFL	R.O.M. Strength: Tone/Reflex:		
WRIST & HAND	Left Right <input type="checkbox"/> Impaired <input type="checkbox"/> Impaired <input type="checkbox"/> WFL <input type="checkbox"/> WFL	Strength / Dexterity:		
T R U N K	Anterior / Posterior  <input type="checkbox"/> WFL <input type="checkbox"/> ↑ Thoracic Kyphosis <input type="checkbox"/> ↑ Lumbar Lordosis <input type="checkbox"/> Fixed <input type="checkbox"/> Flexible <input type="checkbox"/> Partly Flexible <input type="checkbox"/> Other	Left Right  <input type="checkbox"/> WFL <input type="checkbox"/> Convex Left <input type="checkbox"/> Convex Right <input type="checkbox"/> Fixed <input type="checkbox"/> Flexible <input type="checkbox"/> Partly Flexible <input type="checkbox"/> Other	Rotation  <input type="checkbox"/> Neutral <input type="checkbox"/> Left Forward <input type="checkbox"/> Right Forward <input type="checkbox"/> Fixed <input type="checkbox"/> Flexible <input type="checkbox"/> Partly Flexible <input type="checkbox"/> Other	

P E L V I S	Anterior / Posterior	Obliquity	Rotation										
	 <input type="checkbox"/> Neutral <input type="checkbox"/> Posterior <input type="checkbox"/> Anterior <input type="checkbox"/> Fixed <input type="checkbox"/> Other <input type="checkbox"/> Partly Flexible <input type="checkbox"/> Flexible	 <input type="checkbox"/> WFL <input type="checkbox"/> Left Lower <input type="checkbox"/> Rt. Lower <input type="checkbox"/> Fixed <input type="checkbox"/> Other <input type="checkbox"/> Partly Flexible <input type="checkbox"/> Flexible	 <input type="checkbox"/> WFL <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Fixed <input type="checkbox"/> Other <input type="checkbox"/> Partly Flexible <input type="checkbox"/> Flexible										
H I P S	Position	Windswept	Range of Motion										
	 <input type="checkbox"/> Neutral <input type="checkbox"/> ABduct <input type="checkbox"/> ADduct <input type="checkbox"/> Fixed <input type="checkbox"/> Subluxed <input type="checkbox"/> Partly Flexible <input type="checkbox"/> Dislocated <input type="checkbox"/> Flexible	 <input type="checkbox"/> Neutral <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Fixed <input type="checkbox"/> Other <input type="checkbox"/> Partly Flexible <input type="checkbox"/> Flexible	 Left Right Flex: _____° _____° Ext: _____° _____° Int R: _____° _____° Ext R: _____° _____°										
K N E E S & F E E T	Knee R.O.M.	Strength:	Foot Positioning	Foot Positioning Needs:									
	<table border="0" style="width: 100%;"> <tr> <td style="text-align: center;"><u>Left</u></td> <td style="text-align: center;"><u>Right</u></td> </tr> <tr> <td><input type="checkbox"/> WFL</td> <td><input type="checkbox"/> WFL</td> </tr> <tr> <td><input type="checkbox"/> Flex _____°</td> <td><input type="checkbox"/> Flex _____°</td> </tr> <tr> <td><input type="checkbox"/> Ext _____°</td> <td><input type="checkbox"/> Ext _____°</td> </tr> </table> <hr/> Hamstring ROM Limitations: (Measured at ____° Hip Flex) Left _____ Right _____	<u>Left</u>	<u>Right</u>		<input type="checkbox"/> WFL	<input type="checkbox"/> WFL	<input type="checkbox"/> Flex _____°	<input type="checkbox"/> Flex _____°	<input type="checkbox"/> Ext _____°	<input type="checkbox"/> Ext _____°	Orthosis? Prosthetic?	<input type="checkbox"/> WFL <input type="checkbox"/> L <input type="checkbox"/> R <input type="checkbox"/> Dorsi-Flexed <input type="checkbox"/> L <input type="checkbox"/> R <input type="checkbox"/> Plantar Flexed <input type="checkbox"/> L <input type="checkbox"/> R <input type="checkbox"/> Inversion <input type="checkbox"/> L <input type="checkbox"/> R <input type="checkbox"/> Eversion <input type="checkbox"/> L <input type="checkbox"/> R	
<u>Left</u>	<u>Right</u>												
<input type="checkbox"/> WFL	<input type="checkbox"/> WFL												
<input type="checkbox"/> Flex _____°	<input type="checkbox"/> Flex _____°												
<input type="checkbox"/> Ext _____°	<input type="checkbox"/> Ext _____°												
M O B I L I T Y	Balance	Transfers	Ambulation										
	<table border="0" style="width: 100%;"> <tr> <td style="text-align: center;"><u>Sitting Balance:</u></td> <td style="text-align: center;"><u>Standing Balance:</u></td> </tr> <tr> <td><input type="checkbox"/> WFL</td> <td><input type="checkbox"/> WFL</td> </tr> <tr> <td><input type="checkbox"/> Min Support</td> <td><input type="checkbox"/> Min Support</td> </tr> <tr> <td><input type="checkbox"/> Mod Support</td> <td><input type="checkbox"/> Mod Support</td> </tr> <tr> <td><input type="checkbox"/> Unable</td> <td><input type="checkbox"/> Unable</td> </tr> </table>	<u>Sitting Balance:</u>	<u>Standing Balance:</u>	<input type="checkbox"/> WFL	<input type="checkbox"/> WFL	<input type="checkbox"/> Min Support	<input type="checkbox"/> Min Support	<input type="checkbox"/> Mod Support	<input type="checkbox"/> Mod Support	<input type="checkbox"/> Unable	<input type="checkbox"/> Unable	<input type="checkbox"/> Independent <input type="checkbox"/> Min Assist <input type="checkbox"/> Max Asst <input type="checkbox"/> Sliding Board <input type="checkbox"/> Lift / Sling Required	<input type="checkbox"/> Unable to Ambulate <input type="checkbox"/> Ambulates with Assistance <input type="checkbox"/> Ambulates with Device <input type="checkbox"/> Independent without Device <input type="checkbox"/> Indep. Short Distance Only
<u>Sitting Balance:</u>	<u>Standing Balance:</u>												
<input type="checkbox"/> WFL	<input type="checkbox"/> WFL												
<input type="checkbox"/> Min Support	<input type="checkbox"/> Min Support												
<input type="checkbox"/> Mod Support	<input type="checkbox"/> Mod Support												
<input type="checkbox"/> Unable	<input type="checkbox"/> Unable												



Neuro-Muscular Status:

Tone:

Reflexive Responses:

Effect on Function:

Measurements in Sitting:		Left	Right	
A:	Shoulder Width			
B:	Chest Width			H: Top of Shoulder
C:	Chest Depth (Front – Back)			I: Acromium Process (Tip of Shoulder)
D:	Hip Width			J: Inferior Angle of Scapula
**	Asymmetrical Width			K: Elbow
E:	Between Knees			L: Iliac Crest
F:	Top of Head			M: Sacrum to Popliteal Fossa
G:	Occiput			N: Knee to Heel
				O: Foot Length

Additional Comments and please add Trunk and Pelvic width with brace/ Orthosis, when applicable.

** Asymmetrical Width: i.e., windswept or scoliotic posture; measure widest point to widest point

REQUESTED EQUIPMENT:

Requested Frame (make and model):

Dimensions:

Amount of growth available:

SIGNATURE:

As the evaluating therapist, I hereby attest that I have personally completed this five page evaluation form and that I am not an employee of or working under contract to the manufacturer(s) or the provider(s) of the durable medical equipment recommended in my evaluation. I further attest that I have not and will not receive remunerations of any kind from the manufacturer(s) or the Medicaid Durable Medical Equipment provider(s) for the equipment I have recommended with this evaluation. I accept the responsibility of performing a follow-up evaluation at the time of the initial fitting and delivery of the recommended equipment and will be available for a follow-up evaluation six months after the equipment was delivered to recommend any additional adjustments, if a six-month follow up evaluation is needed.

I am currently enrolled as a Medicaid provider and my provider number is:

or, I am not currently enrolled as a Medicaid Provider and have attached a copy of my current (double click on appropriate box and select: Checked):

Physical Therapy license

License #

Occupational Therapy license

Physitrist board certification

Signature, as it appears on license or certification

Date

Daytime contact number(s)

Fax Number

Email Address

Cell phone number (optional)

Optional:

Physician: I have read & concur with the above assessment

Date: _____

Phone: _____